

Product Brochure For A088

## Air Punch & Flange - ATP-50

1.2mm Steel Capacity

**Ex GST**  
**\$104.00**

**Inc GST**  
**\$119.60**



|                                      |                    |
|--------------------------------------|--------------------|
| ORDER CODE:                          | A088               |
| MODEL:                               | ATP-50             |
| Type:                                | Air Punch & Flange |
| Capacity:                            | 1.2mm Steel        |
| Max Torque (ft-lb / Nm):             | ~                  |
| Clutch Type:                         | ~                  |
| Punch Hole Diameter (mm):            | 5                  |
| Flange Capacity:                     | ~                  |
| Piston Stroke (mm):                  | ~                  |
| Stroke Length (mm):                  | ~                  |
| Free Speed (rpm):                    | ~                  |
| Speed Range (rpm):                   | ~                  |
| No Load Speed (rpm):                 | ~                  |
| Blows Per Minute (BPM):              | ~                  |
| Air Consumption (CFM/ L/min):        | 4 / 113            |
| Vibration Level (m/s <sup>2</sup> ): | 0.1                |
| Sound Pressure Level (dBA):          | ~                  |
| Sound Power Level (dBA):             | ~                  |
| Rated Power (HP):                    | ~                  |
| Traction Power (kg/cm):              | ~                  |
| Air Pressure (psi):                  | 90                 |
| Air inlet (inch):                    | 1/4" BSPT          |
| Length (mm):                         | 245                |
| Weight (Kg):                         | 1.3                |



### Description

The Toolmaster Air punch & flange tool is a 2 in 1 air tool designed for flanging up to 1.2mm sheet metal for overlapping panels and punching a 5mm hole for welding through. Light weight and easy to operate making it the ideal tool for every automotive body repair shop.

### Features

- 2 in 1 pneumatic tool for punching holes and flanging edges in sheet metal
- 1.2mm steel & aluminium thickness capacity
- Ø5mm hole punch
- 12mm x 25mm flange capacity (D x W)
- Lightweight aluminium diecast body with rubberised grip handle for comfort
- Easy to operate, every press of the lever delivers a single punch or flange crimp with precision control
- Essential tool for automotive repair shops for creating and installing patch panels, replacement panels or custom sheet metal work

Product Brochure For A088

**Specific Features**



Rear View

**Recommended Accessories**

A037  
Air Tool Oil



F935  
High-Flow Air Fittings



F941  
High-Flow One Touch System  
Air Fittings



F940  
High-Flow One Touch System  
Air Fittings



F945  
High-Flow One Touch System  
Air Fittings



F951  
High-Flow Air Fittings



F950  
High-Flow Air Fittings



F955  
High-Flow Air Fittings



Product Brochure For A088

**H008**  
Industrial Polymer Air Hose



**H018**  
Recoil PU Air Hose




**F888**  
Air Fittings



**F903B**  
Air Fittings



**F803**  
Air Fittings



**F811**  
Air Fittings



**F862**  
Air Fittings



**F870**  
Air Fittings



**F830**  
Air Fittings



**F834**  
Air Fittings



**F836**  
Air Fittings



**F838**  
Air Fittings



Product Brochure For A088

---

F840  
Air Fittings



F930  
Air Fittings



C3118  
Air Compressor



C3120  
Air Compressor



C3122  
Air Compressor



C3124  
Air Compressor



C3126  
Air Compressor

