Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For B008

Swivel Head Metal Cutting Band Saw - BS-8DS

Dual Mitre Cuts Up To 45º

215 x 205mm (W x H) Rectangle Capacity at 90 degrees

Ex GST	Inc GST
$2,184.00	$2,511.60



ORDER CODE:	B008
MODEL:	BS-8DS
Operation Type:	Swivel Head
Round @ 90º (mm):	205
Round @ 45º (mm):	143
Round @ 60º (mm):	~
Square @ 90º (mm):	205
Square @ 45º (mm):	~
Square @ 60º (mm):	~
Rectangle (W x H) @ 90º (mm):	215 x 205
Rectangle (W x H) @ 45º (mm):	143 x 115
Rectangle (W x H) @ 60º (mm):	~
Coolant System:	Yes
Table Working Height (mm):	~
Base Dimensions (mm):	~
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	24-41-61-82
Blade Size (L x W x T) (mm):	2360 x 19 x 0.9
Motor Power (kW / hp):	1.1 / 1.5
Voltage / Amperage (V / amp):	240
Nett Weight (kg):	190

Description

The BS-8DS medium-duty dual swivel head metal cutting band saw offers great value for money. The major points of this machine are the swivel head, four-blade speeds, adjustable feed rate, and built-in coolant system.
This is an excellent machine choice for maintenance shops, medium steel fabricators, and engineering workshops.

Features

- 205mm round, 215mm x 200mm (W x H) rectangular capacity at 90 degrees
- 143mm round, 143mm x 115mm (W x H) rectangular capacity at 45 degrees
- ±45º swivel head for easy angle cutting without moving material
- Adjustable hydraulic feed cutting rate for multiple applications
- Built-in coolant system with flow control valve for maximum cutting efficiency
- Limit switch stops machine when cut is complete
- Blade roller guides provides accurate cutting
- 4-speed pulley drive system enabling 24-41-61-82mpm cutting speeds
- Adjustable length stop for repetition cutting
- Wire wheel brush to clean swarf from blade
- Heavy-duty 1100W/240V fully enclosed fan-cooled motor

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For B008

Specific Features



Head Fully Raised



Blade Guide


Coolant to Blade


Quick Action Vice Handle Lever


Hydraulic Ram Down Feed Control


Swivel Head


Coolant System



Switch

Recommended Accessories

B400

Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 2362 x 19 x 0.80mm



B404

Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 2362 x 19 x 0.80mm



B408

Metal Band Saw Blade - 10-14TPI Bi-Metal, Blade - 2362 x 19 x 0.80mm



B210

Metal Band Saw Blade - 6TPI Carbon, Blade - 2362 x 19 x 0.80mm



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For B008

B212
Metal Band Saw Blade - 8TPI Carbon, Blade - 2362 x 19 x 0.80mm



B214
Metal Band Saw Blade - 10TPI Carbon, Blade - 2362 x 19 x 0.80mm



B216
Metal Band Saw Blade - 14TPI Carbon, Blade - 2362 x 19 x 0.80mm



S090A
Soluble Metal Cutting Fluid - 1 Litre



S090
Soluble Metal Cutting Fluid - 5 Litre




W3434
Roller Stand



W3436
Roller Stand - V-Type



M970
Digital Angle Rule



L300
Magnetic Swarf Remover



L812
Roller Conveyor



L816
Roller Conveyor Stand



L802
3m Length Stop System

