Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For B062V

Swivel Head Metal Cutting Band Saw - EB-260V

Electronic Variable Blade Speed 20-90mpm, Mitre Cuts Up To 60º,
Quick Action Material Clamping & Includes Hydraulic Downfeed Control

Ex GST	Inc GST
$3,648.00	$4,195.20



ORDER CODE:	B062V
MODEL:	EB-260V
Operation Type:	Swivel Head
Round @ 90º (mm):	225
Round @ 45º (mm):	150
Round @ 60º (mm):	100
Square @ 90º (mm):	180
Square @ 45º (mm):	140
Square @ 60º (mm):	100
Rectangle (W x H) @ 90º (mm):	225 x 180
Rectangle (W x H) @ 45º (mm):	140 x 140
Rectangle (W x H) @ 60º (mm):	100 x 100
Coolant System:	Yes
Table Working Height (mm):	905
Base Dimensions (mm):	~
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	Variable 20-90
Blade Size (L x W x T) (mm):	2480 x 27 x 0.9
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	200

Description

Manufactured in Taiwan

Features

- 225 x 180mm rectangular capacity
- Electronic variable blade speed, 240V motor
- Larger cutting capacity than conventional cold saws
- Heavy-duty gear drive system
- Quick-action lock/release vice
- Swivel head mitre cut to 60º right
- Quick action lock/release lever for swivel head
- Coolant system for cutting efficiency and blade life
- User friendly blade tension system
- Control panel mounted for easy access
- Adjustable length stop for repetition cutting
- Ball bearing blade guides ensures minimal blade clearance wear & increases blade life due to less friction
- Blade cleaning brush incorporated into blade guide system
- Adjustable hydraulic cylinder for auto feed
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated cooling fitted as standard

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For B062V



Specific Features


Front View



Swivel Head at 60 Degrees


Swivel Head Full View




Control Panel


Ball Bearing Blade Guides Front


Ball Bearing Blade Guides Back


Blade Cleaning Brush



Hydraulic Down Feed Control

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For B062V


Micro Cut Out Switch



Vice


Swivel Head with Scale up to 60 Degree


Blade Tension Device


Variable Speed Motor and Gearbox


Material Length Stop


Swivel Head Lock


Material Support


Safety Blade Guard Micro Switch


Coolant Pump


Swivel Head Stop


Vice Handle Lock

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For B062V

Recommended Accessories

B478

Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



B479

Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



B480

Metal Band Saw Blade - 10-14TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



S090

Soluble Metal Cutting Fluid - 5 Litre



S091

Soluble Metal Cutting Fluid - 20 Litre



W3434

Roller Stand



W3436

Roller Stand - V-Type



L300

Magnetic Swarf Remover



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For B062V

L812
Roller Conveyor



L814
Roller Conveyor Stand



L802
3m Length Stop System

