

Product Brochure For B062V

Swivel Head Metal Cutting Band Saw - EB-260V

Electronic Variable Blade Speed 20-90mpm, Mitre Cuts Up To 60°,
Quick Action Material Clamps & In Capacity Hydraulic Downfeed Control



Ex GST
\$4,000.00

Inc GST
\$4,600.00

| | |
|---------------------------------|-----------------------|
| ORDER CODE: | B062V |
| MODEL: | EB-260V |
| Operation Type: | Swivel Head |
| Round @ 90° (mm): | 225 |
| Round @ 45° (mm): | 150 |
| Round @ 60° (mm): | 100 |
| Square @ 90° (mm): | 180 |
| Square @ 45° (mm): | 140 |
| Square @ 60° (mm): | 100 |
| Rectangle (W x H) @ 90° (mm): | 225 x 180 |
| Rectangle (W x H) @ 45° (mm): | 140 x 140 |
| Rectangle (W x H) @ 60° (mm): | 100 x 100 |
| Coolant System: | Yes |
| Table Working Height (mm): | 950 |
| Cutting Head Beam Type: | Manual |
| Cutting Head Beam Return: | Manual Return |
| Cutting Head Down Feed Control: | Adjustable Hydraulic |
| Vice Clamping Fixture: | Manual - Quick Action |
| Bundle Cutting Fixture: | - |
| Blade Steps / Speeds (M/Min): | Variable 20-90 |
| Blade Size (L x W x T) (mm): | 2480 x 27 x 0.9 |
| Motor Power (kW / hp): | 1.5 / 2 |
| Voltage / Amperage (V / amp): | 240 / 10 |
| Nett Weight (kg): | 200 |

Description

Manufactured in Taiwan

Features

- 225 x 180mm rectangular capacity
- Electronic variable blade speed, 240V motor
- Larger cutting capacity than conventional cold saws
- Heavy-duty gear drive system
- Quick-action lock/release vice
- Swivel head mitre cut to 60° right
- Quick action lock/release lever for swivel head
- Coolant system for cutting efficiency and blade life
- User friendly blade tension system
- Control panel mounted for easy access
- Adjustable length stop for repetition cutting
- Ball bearing blade guides ensures minimal blade clearance wear & increases blade life due to less friction
- Blade cleaning brush incorporated into blade guide system
- Adjustable hydraulic cylinder for auto feed
- Vibration free, low noise operation ensures clean & high precision cuts
- Machine stand with integrated cooling fitted as standard

Product Brochure For B062V



Specific Features



Front View



Swivel Head at 60 Degrees




Swivel Head Full View




Control Panel




Ball Bearing Blade Guides Front



Ball Bearing Blade Guides Back



Blade Cleaning Brush




Hydraulic Down Feed Control

Product Brochure For B062V



Micro Cut Out Switch



Vice



Swivel Head with Scale up to 60 Degree




Blade Tension Device



Variable Speed Motor and Gearbox



Material Length Stop



Swivel Head Lock



Material Support



Safety Blade Guard Micro Switch



Coolant Pump



Swivel Head Stop



Vice Handle Lock

Product Brochure For B062V

Recommended Accessories

B478

Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



B479

Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



B480

Metal Band Saw Blade - 10-14TPI Bi-Metal, Blade - 2480 x 27 x 0.9mm



S091

Soluble Metal Cutting Fluid - 20 Litre



S090A

Soluble Metal Cutting Fluid - 1 Litre



S090

Soluble Metal Cutting Fluid - 5 Litre



S076

Cutting Tool Lubricant Fluid - 500ml



S077

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



Product Brochure For B062V

S074
Cutting Tool Lubricant Paste -
500g



L300
Magnetic Swarf Remover



M9991
Magnetic Floor Sweeper



L812
Roller Conveyor




L814
Roller Conveyor Stand



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant &
Corrosion Inhibitor



O044
Rust & Corrosion Preventive

