

Product Brochure For B068

## Swivel Head Metal Cutting Band Saw - EB-350DS

350 x 220mm (W x H) Rectangle Capacity



ORDER CODE:	B068
MODEL:	EB-350DS
Operation Type:	Swivel Head - Dual Mitre
Round @ 90° (mm):	270mmx
Round @ 45° (mm):	240 Right / 210 Left
Round @ 60° (mm):	160
Square @ 90° (mm):	260
Square @ 45° (mm):	220 Right / 180 Left
Square @ 60° (mm):	150
Rectangle (W x H) @ 90° (mm):	350 x 220
Rectangle (W x H) @ 45° (mm):	240x160 Right / 180 Left
Rectangle (W x H) @ 60° (mm):	~
Coolant System:	Yes
Table Working Height (mm):	~
Cutting Head Beam Type:	Manual
Cutting Head Beam Return:	Manual Return
Cutting Head Down Feed Control:	Adjustable Hydraulic
Vice Clamping Fixture:	Manual - Quick Action
Bundle Cutting Fixture:	~
Blade Steps / Speeds (M/Min):	68-34
Blade Size (L x W x T) (mm):	3160 x 27 x 0.9
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	410



### Features

- 350 x 220mm rectangular capacity
- Semi/Automatic control with hydraulic vice & foot pedal
- Double mitre cut to 45° and 60° right and left
- Automatic blade breakage sensor
- Adjustable hydraulic down feed
- Hydraulic locking vice with unique sliding design
- Hydraulic blade tension gauge
- Remote foot-switch including emergency stop switch
- 2 speed motor 68/34mm/min

Product Brochure For B068

**Recommended Accessories**

**B516**

Metal Band Saw Blade - 4-6TPI Bi-Metal, Blade - 3160 x 27 x 0.9mm



**B518**

Metal Band Saw Blade - 6-10TPI Bi-Metal, Blade - 3160 x 27 x 0.9mm



**S091**

Soluble Metal Cutting Fluid - 20 Litre



**S090A**

Soluble Metal Cutting Fluid - 1 Litre



**S090**

Soluble Metal Cutting Fluid - 5 Litre



**S076**

Cutting Tool Lubricant Fluid - 500ml



**S077**

Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



**S074**

Cutting Tool Lubricant Paste - 500g



Product Brochure For B068

---

L812  
Roller Conveyor



L814  
Roller Conveyor Stand



O043  
Rust & Corrosion Preventive



O042  
General Purpose Lubricant & Corrosion Inhibitor



O044  
Rust & Corrosion Preventive

