

## Product Brochure For C165C

### Chain Block - GEN 3 - PCB356

5 Tonne x 6 Metre



|                             |          |
|-----------------------------|----------|
| ORDER CODE:                 | C165B    |
| MODEL:                      | PCB356   |
| Lift Capacity (kg / Tonne): | 5000 / 5 |
| Lift Height (Metre):        | 6        |
| Weight (kg):                | ~        |



#### Features

- All Pacific models are manufactured to comply with AS1418.2.
- High strength end stop with secondary end anchor for increased safety.
- "T" type hooks for improved load holding integrity (except for the 250kg capacity).
- Gear system design for reduced effort when lifting loads.
- Includes a specially designed hand wheel to eliminate hand chain slippage and pocket wear.
- Encapsulated needle bearings and side plate bearings for smoother operation.
- Brake lockout bearing for security of braking mechanism.
- Key internal components are CNC machined before being heat-treated and toughened.
- Fitted with high quality European zinc plated Grade 80 load chain.
- No aluminium content which ensures suitability for mining applications.
- Overall better design and improved finish to prolong life expectancy.
- All models available with a patented Overload Limiting device (except for the 250kg capacity).

## Product Brochure For C165C

### Recommended Accessories

H300  
Round Sling

H316  
Flat Sling

H305  
Round Sling

H318  
Flat Sling



H308  
Round Sling

H307  
Round Sling

H320  
Flat Sling

H310  
Round Sling



## Product Brochure For C165C

**H314**  
Round Sling



**H322**  
Flat Sling



**H312**  
Round Sling



**H324**  
Flat Sling



**C146**  
Girder Clamp



**C147**  
Girder Trolley



**C148**  
Girder Trolley



**C188**  
Mobile Girder Rail Gantry



**K088**  
Mobile Girder Rail Gantry  
Package Deal



**K090**  
Mobile Girder Rail Gantry  
Package Deal

