

Product Brochure For C2982

Drill Chuck - Keyed Type - Standard Duty

Ø1 - Ø13mm

JT-6 Taper Mount



ORDER CODE:	C2982
Duty Type:	Standard Duty
Type:	Keyed
Capacity (mm):	1 - 13
Mount:	JT6
Spare Chuck Key to suit:	C290A
Nett Weight (kg):	0.62



Description

Standard duty drill chuck. The chuck is mounted by driving the taper mounted chuck onto a tapered arbor or spindle

Features

- Robust design

Includes

- Chuck Key

Product Brochure For C2982

Specific Features



Chuck and Key



Chuck Key

Recommended Accessories

D442

2MT x JT6 Drill Chuck Arbor

D443

3MT x JT6 Drill Chuck Arbor

D454

4MT x JT6 Drill Chuck Arbor

D444

R8 x JT6 Drill Chuck Arbor -
7/16"UNF Threaded Shank



D450

NT30 x JT6 Drill Chuck Arbor -
M12 Threaded Shank

D446

NT40 x JT6 Drill Chuck Arbor -
M16 Threaded Shank

D1282

Imperial 135° Precision HSS
Drill Set - 29 Piece

D1272

Metric 135° Precision HSS Drill
Set - 25 Piece



Product Brochure For C2982

D126

Metric 135° Precision HSS Drill Set - 170 Pieces



D502

HSS Centre Drill - No. 2



D503

HSS Centre Drill - No.3



D504

HSS Centre Drill - No. 4



D505

HSS Centre Drill - No. 5



T019

Metric HSS Hand Tap & Drill Set - 29 Piece



D107

HSS Step Drill Sets



D106

Countersink Sets – 90° Three Flute



D105

Deburring Countersink Sets – 90° Cross Hole

