Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For C2985

Drill Chuck - Keyed Type - Standard Duty

Ø1 - Ø16mm
JT-3 Taper Mount



ORDER CODE:	C2985
Duty Type:	Standard Duty
Type:	Keyed
Capacity (mm):	1 - 16
Mount:	JT3
Spare Chuck Key to suit:	~
Nett Weight (kg):	0.98

Description

Standard duty drill chuck. The chuck is mounted by driving the taper mounted chuck onto a tapered arbor or spindle

Features

- Robust design

Includes

- Chuck key

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For C2985

Specific Features



Chuck and Key



Chuck Key

Recommended Accessories

D442A
2MT x JT3 Drill Chuck Arbor



D443A
3MT x JT3 Drill Chuck Arbor



D454A
4MT x JT3 Drill Chuck Arbor



D445
R8 x JT3 Drill Chuck Arbor - 7/16" UNF Threaded Shank



D451
NT30 x JT3 Drill Chuck Arbor



D448
NT40 x JT3 Drill Chuck Arbor - M16 Threaded Shank



D1282
Imperial 135º Precision HSS M35 COBALT Drill Set - 29 Piece



D1272
Metric 135º Precision HSS M35 COBALT Drill Set - 25 Piece



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For C2985

D126
Metric 135º Precision HSS M35 COBALT Drill Set - 170 Pieces



D502
HSS Centre Drill - No. 2



D503
HSS Centre Drill - No.3



D504
HSS Centre Drill - No. 4



D505
HSS Centre Drill - No. 5



T019
Metric HSS Hand Tap & Drill Set - 29 Piece



D107
HSS Step Drill Sets



D106
Countersink Sets – 90° Three Flute



D105
Deburring Countersink Sets – 90° Cross Hole

