

Product Brochure For C2985

Drill Chuck - Keyed Type - Standard Duty

Ø1 - Ø16mm

JT-3 Taper Mount



ORDER CODE:	C2985
Duty Type:	Standard Duty
Type:	Keyed
Capacity (mm):	1 - 16
Mount:	JT3
Spare Chuck Key to suit:	-
Nett Weight (kg):	0.98



Description

Standard duty drill chuck. The chuck is mounted by driving the taper mounted chuck onto a tapered arbor or spindle

Features

- Robust design

Includes

- Chuck key

Product Brochure For C2985

Specific Features



Chuck and Key



Chuck Key

Recommended Accessories

D442A
2MT x JT3 Drill Chuck Arbor

D443A
3MT x JT3 Drill Chuck Arbor

D454A
4MT x JT3 Drill Chuck Arbor

D445
R8 x JT3 Drill Chuck Arbor -
7/16" UNF Threaded Shank



D451
NT30 x JT3 Drill Chuck Arbor

D448
NT40 x JT3 Drill Chuck Arbor -
M16 Threaded Shank

D1282
Imperial 135° Precision HSS
Drill Set - 29 Piece

D1272
Metric 135° Precision HSS Drill
Set - 25 Piece



Product Brochure For C2985

D126
Metric 135° Precision HSS Drill
Set - 170 Pieces



D502
HSS Centre Drill - No. 2



D503
HSS Centre Drill - No.3



D504
HSS Centre Drill - No. 4



D505
HSS Centre Drill - No. 5



T019
Metric HSS Hand Tap & Drill Set
- 29 Piece



D107
HSS Step Drill Sets



D106
Countersink Sets – 90° Three
Flute



D105
Deburring Countersink Sets –
90° Cross Hole

