

Product Brochure For C3117

Air Compressor - TA3050

50 Litre Tank / 3.0hp
12.7cfm / 360lpm Displacement

ORDER CODE:	C3117
MODEL:	TA3050
Drive Type:	Direct
Piston Displacement (CFM / LPM):	12.7 / 360
Free Air Delivery (CFM / LPM):	~
Cylinders (Type):	2
Max. Pressure (kPa):	793
Max. Pressure (PSI):	115
Air Receiver Tank Size (Litre):	50
Motor Speed (rpm):	~
Motor Power (kW / hp):	2.2 / 3
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	34

TURBO AIR LLC
COMPRESSION AIR SOLUTIONS

Description

With a powerful 3.0HP motor and efficient direct drive twin cylinder cast iron pump, the TA30-50 is designed to tackle large tasks in the serious home workshop such as tyre inflating, paint spraying, air nailing, stapling and operating an air wrench.

Features

- 3.0HP Induction Motor
- 50 Litre Tank Capacity
- Direct Drive Design
- Super Duty Cast Iron V Twin Pump
- 115psi (Max) Pressure
- 12.7 CFM (360L/m) Max. Capacity
- Twin Gauge with Air Regulator
- 1/4" ARO Type Coupler

Product Brochure For C3117

Recommended Accessories

H045

Retractable Air Hose Reel -
Includes Air Dusting gun



H040

Industrial Retractable Air Hose
Reel



H008

Industrial Polymer Air Hose



H018

Recoil PU Air Hose



A250

Hi Flow Air Duster Gun



A251

Hi Flow Air Duster Gun



S440

Air Blow Gun



A264

Professional Tyre Inflator with
Linear Gauge



Product Brochure For C3117

A043

Air Micro Die Grinder Kit



A046

Air Pop Rivet Kit



A040

Air Die Grinder



A041

Air Die Grinder - Extended Shaft 5" (127mm)



A082

Air Nibbler



F935

High-Flow Air Fittings



F941

High-Flow One Touch System Air Fittings



F945

High-Flow One Touch System Air Fittings



F951

High-Flow Air Fittings



F950

High-Flow Air Fittings



F955

High-Flow Air Fittings




F903B

Air Fittings



Product Brochure For C3117

F803
Air Fittings



F811
Air Fittings



F862
Air Fittings



F870
Air Fittings



F830
Air Fittings



F834
Air Fittings



F836
Air Fittings



F838
Air Fittings



F840
Air Fittings



F930
Air Fittings

