Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For D311

# 2MT Morse Taper COBALT Drill Bit


Ø18mm

M35 Grade HSS including 5% Cobalt

| Ex GST | Inc GST |
|---|---|
| $38.26 | $44.00 |




| | |
|---|---|
| ORDER CODE: | D311 |
| D - Drill Diameter (Ø) (mm): | 18 |
| Grade: | COBALT |
| Taper (MT): | 2 |
| OAL - Overall Length (mm): | 228 |
| FL - Flute Length (mm): | 130 |
| Standard (DIN): | DIN 345 |
| Nett Weight (kg): | 0.34 |




## Description

Alcock drill bits are manufactured from M35 grade HSS including 5% cobalt, this high-grade material offers superior drilling performance and durability. Each drill bit features precision-ground flutes and a 135° cutting point angle, which is ideal for drilling in tougher materials while enhancing longevity and performance. The morse taper shank ensures positive driving for heavy duty drilling & is supplied with a tang for easy ejection making it an ideal choice for any workshop.

## Features

- M35 Grade HSS including 5% Cobalt
- Precision ground flutes
- 135º cutting point for drilling steels and tough materials
- Morse taper shank with tang
- Manufactured to DIN 345 ?Standard
- Bronze oxide finish to reduce friction
- Supplied in a protective tube

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For D311

# Morse Taper Shank DRILL BITS

- M35 Grade HSS including 5% Cobalt
- 135° cutting point for steels and tough materials
- Morse taper shank with tang
- Precision ground flutes

alcock
tools that stand the test of time

HSS
M35 GRADE

5%
COBALT


DIN
345

Ø12.5 ~ 52mm
Drill Sizes Available

135°

MORSE TAPER SHANK

HIGH HEAT RESISTANCE



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

# Product Brochure For D311

## Specific Features



135 Degree Split Point M35 HSS 5% Cobalt



Alcock