

## Product Brochure For K4029

# Roller Conveyor & Length Stop Package - RC-290-STP-PKG

290 x 3000mm  
Ø50mm Rollers



ORDER CODE:	K4029
MODEL:	RC-290-STP-PKG
Roller Width (mm):	215
Roller Pitch (mm):	150
No. Rollers (No.):	20
Roller Diameter (mm):	Ø50
Frame Length (L) (mm):	3000
Frame Width (W) (mm):	290
Frame Height (H) (mm):	80
Height Adjustment (mm):	~
Load Capacity with 2 x Support Legs (kg):	~
Load Capacity with 3 x Support Legs (kg):	~




## Description

Roller And Length Stop Package

## Features

- RC-290 - Roller Conveyor
  - Roller capacity of 60kg each
  - 20 x Zinc plated steel rollers at 150mm pitch
  - Rollers are Ø50mm with commercial bearings
  - Frames are powder coated
  - Conveyor is pre-assembled with 7 cross-members
  - Frames are pre-drilled at 75mm pitch to accept "Optional 19 rollers" totalling to 39 rollers
  - RCS-290 - Length Stop
  - 3000mm length of Aluminium extrusion with T-Slots for easy mounting
  - Designed specifically to suit Hafco (L812) 290mm x 3 Metre roller conveyor
  - Length stop has quick-action clamp coupled with a heavy duty roller bearing
  - Includes metric/imperial measuring tape
  - Easily fitted to conveyor by drilling 4 holes
  - Includes mounting hardware
- Please Note:
- Roller load capacity is calculated on even weight distribution over entire roller
  - Total load capacity is calculated on even weight distribution over entire roller conveyor system

Product Brochure For K4029



Product Brochure For K4029

**Specific Features**



Rear Full View




Aluminium Extrusion with T Slots



Camlock Quick Action Clamp



Heavy Duty Roller Bearing



Length Stop Swivel Adjustment 1



Dovetail Slide-Lock System 1



Shown with Optional Stands



Shown Demonstrated In Use

**Recommended Accessories**

L816  
Roller Conveyor Stand



L814  
Roller Conveyor Stand



L812A  
Steel Conveyor Roller



W343A  
Roller Stand



Product Brochure For K4029

---

W343  
Roller Stand



W3434  
Roller Stand



W3436  
Roller Stand - V-Type

