

Product Brochure For L026


## Right Hand Boring Bar - A25S-PCLNR-12

Ø25mm

Insert tip not included



ORDER CODE:	L026
Part Number - Style:	~
Size (mm):	25
Hand Type:	RIGHT
B = Minimum Bore (mm):	32
D (mm):	25
F (mm):	17
L (mm):	200
K (deg):	11°
Minimum Bore (mm):	32



### Description

Negative rake boring bar for Heavy duty roughing with 95 degree approx angle. Roughing tool for large metal removal when boring large bores.

Through coolant supplies coolant directly to the insert to cool and washout the swarf

NOTE: Inserts NOT included with tool holders.

Use insert CNMG 120408 (L0602)

### Features

- Positive rake turning tool holder with 90° approach angle
- Suitable for rapid metal removal

Product Brochure For L026

**Specific Features**



Top View

Side View

**Recommended Accessories**

L0602  
KYOCERA Carbide Inserts -  
Turning

L006A  
Boring Bar Set - HSS

L431  
Boring Bar Set - Carbide Insert

L430  
Boring Bar Set - Carbide Insert



L072  
HSS Turning Tool Set - 4 piece

L0085  
Carbide Turning Tool Set - 11  
piece

L0055  
Lathe Turning Tool Kit - 5 piece  
Insert Type

L0099  
Lathe Turning Tool Kit - 7 piece  
Insert Type



Product Brochure For L026

**L0077**  
Lathe Turning Tool Kit - 7 piece  
Insert Type




**L450**  
Lathe Turning Tool Kit - 3 piece  
Insert Type



**L451**  
Lathe Turning Tool Kit - 3 piece  
Insert Type



**L452**  
Lathe Turning Tool Kit - 3 piece  
Insert Type



**L453**  
Lathe Turning Tool Kit - 3 piece  
Insert Type



**L456**  
Lathe Threading Tool Kit - Insert  
Type



**L457**  
Lathe Threading Tool Kit - Insert  
Type



**L458**  
Lathe Threading Tool Kit - Insert  
Type



**L459**  
Lathe Threading Tool Kit - Insert  
Type



**L464**  
Professional Lathe Parting Tool  
Kit - Insert Type



**L465**  
Professional Lathe Parting Tool  
Kit - Insert Type



**L466**  
Professional Lathe Parting Tool  
Kit - Insert Type



## Product Brochure For L026

---

### L467

Professional Lathe Parting Tool  
Kit - Insert Type

