


Product Brochure For L0996

Select-A-Rad Pedestal Belt Grinder & Notcher - SR-602

50 x 1520mm Belt Size

5 Work Stations



ORDER CODE:	L0996
MODEL:	SR-602
Type:	Belt Grinder / Notcher
Mounting Type - Bench / Pedestal:	Pedestal
Includes Stand:	Yes
Belt Size (mm):	50 x 1520
Belt Speed (fpm / mpm):	3534 / 1077
Motor Speed (rpm):	2800
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	52



Description

A belt grinder with unmatched accuracy for knife making, tube notching and hollow grinding utilising an economical standard 60 x 2" (1520 x 50mm) belt with quick change contact wheels from 20 / 25 / 32 / 28 / 44 / 50 and 89mm).

The Selecta-A-Rad 602 Belt Grinder includes 5 word station options, increased belt performance and more clearance for hollow grinding. In addition it comes with a Tilt Top Stand and Base Plate, a Too Rest Notching Table and 2 contact wheels (50mm & 89mm). workshop machine!

Optional Accessories:
Contact Wheels Ø20 - Ø44mm

Features

- 5 work stations, 2 contact wheels (1 x Ø50mm & 1 x Ø89mm), (5 sizes available)
- Economical Standard Belt (60 x 2" / 1520mm x 50mm)
- 9" (228mm) drive pulley (for hollow grinding knives)
- Unmatched accuracy (for precise sharpening and notching, including finger grooves)
- 1.5kW / 2hp 240V Motor totally enclosed with overload protection
- Performance and durability backed by a 2 year commercial warranty
- Includes pedestal stand
- Made in Australia


Includes

- Tilting top stand & base plate
- Tool rest, Notching tilt table & fence
- 1 x Zirconia belt
- 2 contact wheels Ø50mm & Ø89mm


Optional Accessories

- Contact wheels available:
- Ø20, Ø25, Ø32, Ø38, Ø44mm


Product Brochure For L0996



Specific Features



89mm Diameter Wheel Included



Precision Notching at Belt Edge



Hollow Grinding



Notch Table Included



Platen Grinding



Optional 20mm Diameter Wheel

Product Brochure For L0996

Recommended Accessories


L0996A

Contact Wheel Cartridge -
Ø20mm



L0996B

Contact Wheel Cartridge -
Ø25mm



G183

Abrasive Belt & Disc Cleaning
Stick



W322A

Flame Retardant Dust Hose -
Metal or Timber

