Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For L126

406mm (16") Open End Drum Sander - OEDS-1632

Variable Speed Table Feed
Includes Stand



On Sale - New Release

	Ex GST	Inc GST
	~~$2,065.00~~	~~$2,374.75~~
	$1,738.26	$1,999.00

ORDER CODE:	L126
MODEL:	OEDS-1632
Variable Table Feed Speed (m/min):	0-3
Sanding Drum Speed (rpm):	1245
Belt Size (mm):	1920 x 97
Drum Diameter (mm):	125
Drum Length (mm):	406
Maximum Material Width (mm):	406 (812mm with 2x pass)
Maximum Material Thickness (mm):	100
Minimum Material Thickness (mm):	0.8
Dust Collector Port Diameter (Qty x mm):	1 x 100
Feed Motor Power (kW / hp):	120W / ~
Motor Power (kW / hp):	1.1 / 1.5
Voltage / Amperage (V / amp):	240
Floor Space (W x D x H) (mm):	1160 x 1160 x 1360
Nett Weight (kg):	131

Description

This heavy-duty Open End Drum Sander is designed for accurate, consistent sanding of timber panels and boards. The open-ended design allows workpieces up to 812mm wide to be sanded in two passes, while the rigid cast iron frame ensures stability and parallel sanding.

Powered by a 1.5hp induction motor, the dynamically balanced aluminium sanding drum delivers smooth operation and effective heat dissipation. A variable speed conveyor belt and digital height display provide precise control over the sanding process.

Features

- Open-ended design allows sanding up to 812mm wide in two passes
- Adjustable sanding thickness from 1mm to 100mm
- Variable speed conveyor belt for controlled feeding
- Rigid cast iron frame for accurate, parallel sanding
- Digital height display for precise adjustment
- Powerful 1.5hp induction motor
- Dynamically balanced extruded aluminium drum for smooth operation and heat dissipation
- In-feed and out-feed extensions included
- Robust open-leg steel stand supplied as standard

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For L126

Specific Features




Open Ended Design



Adjustable Height and Digital Height Display



In Feed and Out Feed Extensions



1.5hp Induction Motor



Aluminium Sanding Drum



Open Leg Steel Stand



Dimensions

Recommended Accessories

A91408
Drum Sander - Belt



A91412
Drum Sander - Belt



A91418
Drum Sander - Belt



A91424
Drum Sander - Belt



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For L126

A91432
Drum Sander - Belt

