

Product Brochure For L141

Bench Lathe - AL-320G

Ø320 x 600mm Turning Capacity - Ø38mm Spindle Bore
12 Gear Head Speeds 0 to 1600 rpm and 4 Jaw Chuck



On Sale

Ex GST	Inc GST
\$4,088.00	\$4,701.20
\$3,300.00	\$3,795.00

ORDER CODE:	L141
MODEL:	AL-320G
Swing Over Bed (mm):	320
Distance Between Centres (mm):	600
Spindle Bore (mm):	38
Swing In Gap (mm):	~
Swing Over Cross-slide (mm):	210
Digital Readout System Fitted:	Optional
Quick Change Toolpost Fitted:	Optional
Leadscrew Covers Fitted:	~
Taper Turning Attachment:	~
Coolant System:	~
Tool Height To Suit (mm):	12
Centre Height (mm):	160
Spindle Nose Size or Type:	Fixed
Bed Width (mm):	160
Headstock Spindle Taper (MT):	5
Tailstock Taper (MT):	3
Cross Slide Travel (mm):	150
Compound Slide Travel (mm):	100
Leadscrew Type:	Metric
Metric Cross Feed (X-Axis) (mm/rev):	0.022 - 0.15
Imperial Cross Feed (X-Axis) (inch/rev):	~
Metric Longitudinal Feed (Z-Axis) (mm/rev):	0.1 - 1.4
Imperial Longitudinal Feed (Z-Axis) (inch/rev):	~
Metric Thread Steps & Pitch (No. / mm):	11 (0.5 - 4)
Imperial Thread Steps & TPI (No. / TPI):	27 (9 - 48)
3 Jaw Chuck Diameter (mm):	160
4 Jaw Chuck Diameter (mm):	200
Spindle Steps / Speeds (No. / rpm):	12 (60 - 1600)
Motor Power (kW / hp):	0.75 / 1
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	280

Features

- Geared headstock for quick change of spindle speeds
- 38mm spindle bore
- Hardened and ground bed
- Adjustable taper roller spindle bearings
- Metric & imperial thread cutting
- Powered longitudinal and cross feed
- Head stock oil sight glass
- Thread chasing dial
- Quick action tailstock locking lever
- Forward/reverse spindle switch

Includes

- 160mm 3-jaw chuck with reverse jaws
- 200mm 4-jaw chuck
- Face plate
- Fixed steady

Product Brochure For L141

- Travelling steady
- Change gears
- Dead centre
- Rear splash guard & swarf tray
- Spanners
- Safety chuck guard
- Instruction booklet

Optional Accessories

- Lathe stand to suit (L142)

Specific Features



Shown with Optional Stand



Safety Chuck Guard



3 Jaw Chuck




Controls



End View Head



Fixed and Travelling Steadies



Saddle



Toolpost



Compound Slide Angle Scale



Longitudinal and Cross Feed Engagement



Thread Chasing Dial



Screw Cutting Engagement Lever

Product Brochure For L141



Compound Slide Hand Wheel



Compound Slide and Cross Feed Handle Wheel NEW



Tailstock



Tailstock Quill



End View Tailstock



Hardened and Ground Bed

Recommended Accessories

K007A

Bench Lathe, Stand & Tooling Package Deal



L142

Lathe Stand



D695

3-Axis Optimum Digital Readout Counter - 1µm



D694

1500mm Optimum Magnetic Digital Readout Scale



Product Brochure For L141

D5204
Sino Digital Readout Lathe Mounting Bracket Kit



P235
Coolant Pump & Tank



L292
Quick Change Toolpost



L277
Vertical Mill Slide



L015
Right Hand Turning Tool Holder



L016
Left Hand Turning Tool Holder



L0099
Lathe Turning Tool Kit - 7 piece Insert Type



L450
Lathe Turning Tool Kit - 3 piece Insert Type



L456
Lathe Threading Tool Kit - Insert Type



L464
Professional Lathe Parting Tool Kit - Insert Type



L073
Parting Tool Holder - Suits 1/2" HSS Tool Bit



L076
Knurling Tool Holder Kit



Product Brochure For L141

C052
3MT Live Centre



C045
3MT Pipe Centre - 70° Cone



C290
Heavy Duty Drill Chuck - Keyed Type



D443A
3MT x JT3 Drill Chuck Arbor



D1272
Metric 135° Precision HSS Drill Set - 25 Piece



D1282
Imperial 135° Precision HSS Drill Set - 29 Piece



D126
Metric 135° Precision HSS Drill Set - 170 Pieces



S090A
Soluble Metal Cutting Fluid - 1 Litre



S090
Soluble Metal Cutting Fluid - 5 Litre




G660
Lathe Leadscrew Cover Kit



G659
Lathe Leadscrew Cover Kit - Concertina




L3455
Professional Sheet Metal Fabrication Book




Product Brochure For L141

L341
Fitting and Machining Technical Book



L345
Handy Workshop Tips & Techniques - 1st Edition



L300
Magnetic Swarf Remover




M9991
Magnetic Floor Sweeper



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant & Corrosion Inhibitor



O044
Rust & Corrosion Preventive

