Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For L850

Pipe & Tube Notcher - Linisher - PN-76E

Single Direction C/W 2 Working Stations
Includes 1 set of Roller



On Sale

	Ex GST	Inc GST
	~~$1,900.00~~	~~$2,185.00~~
	$1,752.17	$2,015.00

ORDER CODE:	L850
MODEL:	PN-76E
Machine (Type):	Pipe & Tube Notcher & - Linisher
Notching Cutter (Type):	Linisher
Tube Capacity (OD) - Mild Steel (mm):	Ø20 - Ø76
Pipe Capacity (NB) - Mild Steel (inch / mm):	1/2" - 2-1/2"
Angle Adjustment (Degree):	30-90º
End Mill Size (inch / mm):	~
Belt Size (mm):	100 x 2000
Belt Speed:	1400rpm / 2800rpm
Cutting Speed (rpm):	~
Motor Power (kW / hp):	3 / 4
Voltage (V):	415
Dimensions ((mm)):	~
Nett Weight (kg):	160

Description

The PN-76E Pipe & Tube Notcher / Linisher is our economy version for notching of tube & pipe with the added versatility of deburring & linishing all types of steels. This notcher comes standard with a single direction motor for maximising the use of the notching & top linishing stations & with a powerful 3Kw 415v motor it will remove material quickly & easily. The machine features a notching vice that allows you to adjust your notch to any angle between 90 to 30 degrees & a spring tension device to maintain continuous belt tension. With the Fast-Change tension system you can quickly change the diameter of the front roller to suit the diameter of the notch you require. The base includes a storage rack for up to 7 sets of notching rollers to keep them within easy reach saving you time when changing between sizes.

Features

- Ø20-76mm OD tube notching capacity
- 1/2" - 2-1/2" NB pipe notching capacity
- Powerful 3kW / 4hp, 415V motor with overload protection
- 2 x speed motor 1400rpm for stainless steel, 2800rpm for steel
- Double working stations for Notching & de-burring
- Quick action compound swivel vice from 30-90º
- Heavy duty leadscrew vice for increasing clamp pressure
- Fast change belt system for fast and easy change of grinding rolls – no tools required
- Spring device allows for continuous belt tension
- Solid pedestal stand with built in storage rack for notching rollers

Includes

- 1 notching rollers suitable for the following material sizes
- Ø1-1/4" NB pipe or Ø42mm tube
- 1 x linishing belt

Optional Accessories

- Replacement Belt (A8085)
- Notching rollers suitable for the following material sizes
- - Ø1/2" NB pipe or Ø20mm tube (L853)
- - Ø3/4" NB pipe or Ø26mm tube (L854)
- - Ø1" NB pipe or Ø32mm tube (L855)
- - Ø1-1/4" NB pipe or Ø42mm tube (L856)
- - Ø1-1/2" NB pipe or Ø48mm tube (L857)
- - Ø2" NB pipe or Ø60mm tube (L858)
  - Ø2-1/2" NB pipe or Ø76mm tube (L859)

Auckland: (09) 2717 234
Christchurch: (03) 741 6241


sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For L850

-

Specific Features



Swivel Vice From 30 90


Knotching


Quick Action Compound Vice



Top Station For Flat Linishing Deburring


Vice Angle Adjustment



Quick Change Belt System


Removable Front Dust Tray



Left Side View


Right Side View



Rack For Roller Storage

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For L850

Recommended Accessories

A8085
36G Zirconia Linishing Belt Pack



L853
Pipe & Tube Notcher Roller



L854
Pipe & Tube Notcher Roller



L855
Pipe & Tube Notcher Roller



L856
Pipe & Tube Notcher Roller



L857
Pipe & Tube Notcher Roller



L858
Pipe & Tube Notcher Roller



L859
Pipe & Tube Notcher Roller

