

Product Brochure For M126

Mill Drill - Geared & Tilting Head - HM-48

Table Travel: (X) - 540mm (Y) - 185mm (Z) - 410mm

Dovetail Vertical Column



ORDER CODE:	M126
MODEL:	HM-48
Digital Readout:	Optional
Type:	Vertical
Table Size (mm):	820 x 240
Column Type:	Dovetail
Spindle Taper - Vertical:	3MT
Spindle Taper - Horizontal:	~
Longitudinal Travel (X-Axis) (mm):	540
Cross Travel (Y-Axis) (mm):	185
Vertical Travel (Z-Axis) (mm):	410
Type of Slides:	Dovetail
Ram Travel (mm):	~
Spindle to Table (mm):	490
Spindle to Base:	~
Spindle Travel / Diameter (mm):	120 / 75
Throat Depth (max.) (mm):	273
Tilting Head (Left ~ Right):	±90°
Tilting Head (Forward ~ Back):	Fixed
Drilling Capacity (mm):	31.5
End Milling Capacity (mm):	28
Face Milling Capacity (mm):	80
Power Feed - Quill (mm/rev):	~
Power Feed - Longitudinal (X-Axis) (mm/min):	Yes
Power Feed - Cross (Y-Axis) (mm/min):	~
Power Feed - Vertical (Z-Axis) (mm/min):	~
Table T-Slot Size (inch / mm):	14
Work Table Load Capacity (kg):	55
Spindle Speeds Vertical (No./ rpm):	6 (95 - 1600)
Spindle Speeds Horizontal (No./ rpm):	~
Spindle Speeds - Universal Head:	~
Motor Power - Vertical Spindle (kW / hp):	1.5 / 2
Motor Power - Horizontal Spindle (kW / hp):	~
Motor Power - Universal Head:	~
Voltage / Amperage (V / amp):	240 / 10
Nett Weight (kg):	430

Features

- Gear driven head with 6 speeds
 - Dovetail vertical Z-Axis
 - Pendant control with swivel arm
 - Mill head tilts to ±90° from vertical with digital display
 - Large 820 x 240mm ground work table with T-slots
 - Adjustable leadscrew nuts eliminating backlash on both axis
 - Fine feed hand wheel operating quill feed
 - Digital depth display with zero reset for quill (Includes LR44 battery)
 - Digital tilting head gauge
 - Longitudinal X-Axis power feed
 - Motorised head for Z-Axis travel
 - Forward and reverse on/off switch
 - 3MT spindle with 75mm diameter lockable quill
 - Adjustable table and drill length stops
 - Metric dial graduations @ 0.05mm for X & Y-Axis
 - Rear slide-way cover and slide clamps on all axis
 - Table lock on both axis
- Heavy duty cast iron stand with coolant tray

Product Brochure For M126

- Includes coolant system, swarf tray & work light

Includes

- Cast iron stand
- Coolant system
- X-Axis power feed unit
- Motorised vertical head motor
- Halogen light
- Digital depth display
- Digital tilting head gauge
- Drill chuck & arbor
- Face cutter & arbor
- Safety cutter guard

Specific Features



Left View



Tilting Head



Control Panel



Digital Tilting Head Gauge



Milling Head & Quill Handle



Digital Readout on Quill Depth



Spindle Speed Controls

SPINDLE SPEEDS (r/min)			
	I-L	I-M	I-H
50Hz	95	170	280
	II-L	II-M	II-H
50Hz	540	960	1600

Speed Chart



Power Feed X Axis



Vertical Power Feed Motor



Manual Vertical Fine Feed Handle




Table Limit Switch

Product Brochure For M126



Motorised Head Safety Lock



Aluminum Motor



Swivel Head Adjustment



Dovetail Slide



Quill Depth Stop Gauge



Height Micro Limit Switch



Dial Graduations



Keyed Drill Chuck



Halogen Light



Flexible Coolant Hose



On Off Switch



Drawbar



Includes These Accessories

Product Brochure For M126

Recommended Accessories

D695
3-Axis Optimum Digital Readout Counter - 1µm



D694
1500mm Optimum Magnetic Digital Readout Scale



M230
Power Feed Unit



M240
Transformer



C0965
Clamp Kit 58 piece - Workshop Series



C922B
Collet & Chuck Set - 8 Piece



C926
Collet & Chuck Set - 20 Piece



M3301
Metric HSS Slot Drill & End Mill Set - 10 Piece



Product Brochure For M126

M3321
Imperial HSS Slot Drill & End Mill Set - 10 Piece



M3280
13mm HSS End Mill Long Series



M182
Precision Boring Head Kit



M192
Boring Head Shank



M180
Boring Bar Set - 9 piece



M250
Parallel Set - 8 Piece



M530
Universal Milling Kit - 4 Piece



M562
Face Mill Arbor



M515
Face Mill 45° - Super High-Rake



L065
KYOCERA Carbide Inserts - Milling



M528
Face Mill 90° - Positive Rake



M529
Face Mill 90° - Positive Rake




Product Brochure For M126

L066
KYOCERA Carbide Inserts -
Milling



V004
Cast Iron Vee Block



V105
Vertex K-Type Milling Vice



R006
Vertex Rotary Table



P235
Coolant Pump & Tank



S090A
Soluble Metal Cutting Fluid - 1
Litre



S090
Soluble Metal Cutting Fluid - 5
Litre



S076
Cutting Tool Lubricant Fluid -
500ml



S077
Drilling, Tapping & Cutting Tool
Lubricant Spray - 400g




S074
Cutting Tool Lubricant Paste -
500g



L341
Fitting and Machining Technical
Book



L3455
Professional Sheet Metal
Fabrication Book




Product Brochure For M126

L345
Handy Workshop Tips & Techniques - 1st Edition



L342
Electrical Black Book



L300
Magnetic Swarf Remover




M9991
Magnetic Floor Sweeper



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant & Corrosion Inhibitor



O044
Rust & Corrosion Preventive

