

Product Brochure For M597D

Industrial Turret Milling Machine - BM-53VE

Table Travel: (X) - 890mm (Y) - 400mm (Z) - 415mm

Includes Digital Readout System, Vice & Clamp Kit



ORDER CODE:	M597D
MODEL:	BM-53VE
Digital Readout:	3-Axis Digital Readout
Type:	Vertical
Table Size (mm):	1370 x 254
Column Type:	~
Spindle Taper - Vertical:	NT40
Spindle Taper - Horizontal:	~
Longitudinal Travel (X-Axis) (mm):	890
Cross Travel (Y-Axis) (mm):	400
Vertical Travel (Z-Axis) (mm):	415
Type of Slides:	Dovetail (X), Square (Y & Z)
Ram Travel (mm):	555
Spindle to Table (mm):	465
Spindle to Base:	~
Spindle Travel / Diameter (mm):	127 / 86
Throat Depth (max.) (mm):	635
Tilting Head (Left ~ Right):	±90°
Tilting Head (Forward ~ Back):	±45°
Drilling Capacity (mm):	~
End Milling Capacity (mm):	~
Face Milling Capacity (mm):	~
Power Feed - Quill (mm/rev):	0.04 / 0.08 / 0.15
Power Feed - Longitudinal (X-Axis) (mm/min):	20 - 2000
Power Feed - Cross (Y-Axis) (mm/min):	20 - 2000
Power Feed - Vertical (Z-Axis) (mm/min):	Rapid
Table T-Slot Size (inch / mm):	16
Work Table Load Capacity (kg):	350
Spindle Speeds Vertical (No./ rpm):	Variable (50 - 3550)
Spindle Speeds Horizontal (No./ rpm):	~
Spindle Speeds - Universal Head:	~
Motor Power - Vertical Spindle (kW / hp):	3.75 / 5
Motor Power - Horizontal Spindle (kW / hp):	~
Motor Power - Universal Head:	~
Voltage / Amperage (V / amp):	415
Nett Weight (kg):	1545

Description

Quality product representing excellent value

Features

- 3 Axis digital readout fitted
- 5HP 415V motor with mechanical variable speed system
- NT40 Spindle taper with a chrome & ground quill
- Digital speed readout display for accurate cutter speed
- Hardened & ground work table & slide-ways
- Square construction slides for Y & Z-Axis to maximise rigidity
- Powered elevating motor for Z-Axis
- Meehanite casting for high strength & minimal deformation
- Quality electrics & overload protection in an easy access enclosure
- Horizontal travelling ram mounted on a rotating base allowing repositioning of spindle
- The ram incorporates a tail lug (spigot) to accept a slotting attachment etc.
- High / neutral and low gear selection lever to maximise torque
- X & Y-Axis power-feed with adjustable micro switch feed stops

Product Brochure For M597D

- Micro switch on the manual knee handle for additional operator safety
- Metric dial graduations @ 0.02mm for X , Y & Z-Axis
- Automatic quill feed 0.04, 0.08, 0.15mm/rev
- Automatic cut off depth stop on quill
- Oil lubrication pump and reservoir
- Slide-way covers Y & Z-Axis
- Mill head tilts to $\pm 45^\circ$ forward and back
- Mill head tilts to $\pm 90^\circ$ left and right
- Manual quick action quill lever
- Mechanical spindle brake
- Tool box and manual

Includes

- 3 Axis digital readout fitted
- Digital speed readout display
- Z-Axis powered elevating motor
- X & Y-Axis power-feeds
- One-shot oil lubrication pump and reservoir
- Machine vice (160mm)
- Clamp kit
- Drawbar M16 thread
- Coolant system
- Slideway covers
- Halogen light
- Safety cutter guard
- Swarf tray

Specific Features



Front View



Left View



Control Panel & 3 Axis Digital Readout



Head Close Up



Variable Speed Hand Wheel



Variable Speed Digital Display



Spindle Brake Lever



Drawbar

Product Brochure For M597D



High Low Speed Range Selection Lever



Quill Feed Engage Lever



Feed Speed Selector Lever



Tail Lug Spigot Supports Slotting Head



Table Feed Limit Switches



X Axis Power Feed with Rapid



X Axis Dial Graduations



Y Axis Power Feed with Rapid



Y Axis Dial Graduations



Z Axis Handle



Z Axis Dial



Z Axis Elevating Motor



Rear Slideway Protection Cover



Manual Slideway Lubrication Pump



Work Light and Coolant Hose



Machine Vice


Product Brochure For M597D



Included Accessories

Recommended Accessories

M224
Riser Spacer - Suits Turret Milling Machines



C091
Clamp Kit 58 piece - Workshop Series



C966
Collet & Chuck Set - 25 Piece




M3301
Metric HSS Slot Drill & End Mill Set - 10 Piece



M3321
Imperial HSS Slot Drill & End Mill Set - 10 Piece



V306
Vertex Anglock Machine Vice



M184
Precision Boring Head



M185
Precision Universal Facing & Boring Head



Product Brochure For M597D

M197A
Boring Head Shank



M181
Boring Bar Set - 12 piece



M181A
Boring Bar Set - 4 piece



C292
Industrial Drill Chuck - Keyless Type



C294
Industrial Drill Chuck - Keyless Type



D446
NT40 x JT6 Drill Chuck Arbor - M16 Threaded Shank



D448
NT40 x JT3 Drill Chuck Arbor - M16 Threaded Shank



M252
Parallel Set - 18 Piece



R008
Vertex Rotary Table



R010
Vertex Rotary Table



D002
Vertex Dividing Head - Semi Universal



C2806
3 Jaw Self Centring Lathe Chuck



Product Brochure For M597D

R002
Vertex Super Indexing Head



M512
Face Mill 90° - Positive Rake



M503
Face Mill 90° - Positive Rake



M517
Face Mill 45° - Super High-Rake



M518
Face Mill 45° - Super High-Rake



L065
KYOCERA Carbide Inserts - Milling



L066
KYOCERA Carbide Inserts - Milling



M552
Face Mill Arbor



M554
Face Mill Arbor



M555
Face Mill Arbor



M250
Parallel Set - 8 Piece



L059
Carbide Inserts - Milling



Product Brochure For M597D

S090A
Soluble Metal Cutting Fluid - 1 Litre



S090
Soluble Metal Cutting Fluid - 5 Litre



M229
Power Feed Unit



M2295
Power Feed Unit



L300
Magnetic Swarf Remover




M9991
Magnetic Floor Sweeper



M800
Rubber Mat - Anti-Fatigue



M805
Rubber Mat - Anti-Fatigue



O043
Rust & Corrosion Preventive



O042
General Purpose Lubricant & Corrosion Inhibitor



O044
Rust & Corrosion Preventive

