Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For P230

Coolant Pump - CP-60L3

1/4hp, 415V Motor

180mm Submersible Leg & 70 Litres/Min. At 1 Metre Lift

Ex GST	Inc GST
$350.43	$403.00



ORDER CODE:	P230
MODEL:	CP-60L3
Type:	Coolant Pump
Tank Capacity (Litre):	~
Discharge at 1 metre Lift (L/min):	70
Length (L) (mm):	360
Submerge Depth (L1) (mm):	180
4 Mount Holes (PCD) (mm):	158
Threaded Outlet (BSPT):	Ø1/2"
A (mm):	160
B (mm):	~
C (mm):	339
D (mm):	174
E (mm):	160
F (mm):	120
G (mm):	189
H:	1/2" PT
I (mm):	158
J (mm):	8
K (mm):	~
Motor Power (hp):	1/4
Voltage / Amperage (V / amp):	415
Dimensions (L x W x H) (mm):	370 x 200 x 210
Nett Weight (kg):	11.5

Description


Manufactured in Taiwan

180mm Leg COOLANT PUMP BARE - 415V
Bare pump for almost any application

Features

- 70 litres/min. at 1 metre lift
- 180mm submersible leg
- High-tensile cast iron housing
- Non-corrosive plastic impellers


- Please Note: Motor housing should never be submersed or have any fluid splashed on it



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For P230



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For P230

Specific Features



Front View



Left Side View



Rear View



Right Side View

Recommended Accessories

S090A
Soluble Metal Cutting Fluid - 1 Litre



S090
Soluble Metal Cutting Fluid - 5 Litre



S076
Cutting Tool Lubricant Fluid - 500ml



S077
Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S074
Cutting Tool Lubricant Paste - 500g



S091
Soluble Metal Cutting Fluid - 20 Litre



H164
Flexible Coolant Hose



H166
Flexible Coolant Hose



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For P230

H170
Flexible Coolant Hose



P235
Coolant Pump & Tank



O200
Oil Skimmer - Tube Type

