Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For P235

Coolant Pump & Tank - CPP-20LTR

1/8hp, 240V Motor

10 Litre Plastic Tank & 20 Litres/Min. At 1 Metre Lift

Ex GST	Inc GST
$404.00	$464.60



ORDER CODE:	P235
MODEL:	CPP-20LTR
Type:	Coolant Pump & Tank
Tank Capacity (Litre):	10
Discharge at 1 metre Lift (L/min):	20
Length (L) (mm):	~
Submerge Depth (L1) (mm):	~
4 Mount Holes (PCD) (mm):	~
Threaded Outlet (BSPT):	~
A (mm):	~
B (mm):	~
C (mm):	~
D (mm):	~
E (mm):	~
F (mm):	~
G (mm):	~
H:	~
I (mm):	~
J (mm):	~
K (mm):	~
Motor Power (hp):	1/8
Voltage / Amperage (V / amp):	240 / 10
Dimensions (L x W x H) (mm):	370 x 310 x 250
Nett Weight (kg):	9

Description

Manufactured in Taiwan

Plastic coolant tank moulded with divider to help prevent fine swarf particles entering pump

Features

- 1/8hp 240V motor & PVC tank with 10 litre capacity
- Discharge at 2 metre lift: 20 litres/min, (maximum lift @ 3.5 metres)
- 330mm flexible nozzle with flow tap & magnetic base
- 2 metre PVC clear supply hose
- 1.5 metre PVC clear drain hose
- Safety magnetic On/Off switch
- 1.6 metre power cable from pump to switch
- 2.8 metre power cable from switch to 240V socket
- Removable coolant return particle strain filter
- Coolant tank dimensions: 370 x 250 x 170mm
- Overall height to top of pump 310mm

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For P235

Specific Features


Left View


Front View


Top View


Rear View


Side View


Flexible Hose with Nozzle


Magnetic Base & Flow Control Valve


Saftery Magnetic Switch


Dust & Coolant Proof Switch Cover


Coolant Hose Return


Removable Return Strainer


Return Tank Divider


Coolant Pump Flow Outlet



Min Max Coolant Level Guide

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For P235

Recommended Accessories

S090A
Soluble Metal Cutting Fluid - 1 Litre



S090
Soluble Metal Cutting Fluid - 5 Litre



S076
Cutting Tool Lubricant Fluid - 500ml



S077
Drilling, Tapping & Cutting Tool Lubricant Spray - 400g



S074
Cutting Tool Lubricant Paste - 500g



S091
Soluble Metal Cutting Fluid - 20 Litre



H164
Flexible Coolant Hose



H166
Flexible Coolant Hose



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For P235

H170
Flexible Coolant Hose



P232
Coolant Pump



P233
Coolant Pump

