Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For S534S

Manual Treadle Guillotine with Rear Safety Guard - SG-416S

1300 x 1.6mm Mild Steel Shearing Capacity
Quality 9CrSi Blade Material Suits Stainless Steel

Ex GST	Inc GST
$3,600.00	$4,140.00



ORDER CODE:	S534S
MODEL:	SG-416S
Shearing Capacity - Mild Steel (mm):	1.6
Shearing Capacity - Stainless Steel:	1
Shearing Length (mm):	1300
Floor Space (L x W x H) (mm):	1700 x 1160 x 1100
Nett Weight (kg):	520

Features

- Quality steel-fabrication construction
- Blades made from 9CrSi material suitable for stainless steel
- Spring loaded material clamp beam
- Greasing & oiling points on bearing surfaces
- Adjustable blade gap clearance for thin material
- Tabs fitted to isolate machine with padlock (Please note padlock not included)
- Includes front sheet supports, backgauge & rear safety guard
- Mild steel capacity is rated on hot rolled material with 250MPA

Includes

- Fitted with rear safety guarding with screw locked access door

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For S534S

Specific Features


Front View


Left View


Right View


Top View


Rear View


Rear Swivel Safety Guard


Manual Backguage


Adjustable Backgauage


Spring Return Clamp Beam & Foot Pedal


Front Sheet Support


Foot Pedal Lever


Foot Pedal Lever Shown Locked with Optional Padlock


Isolation Tabs Shown Locked with Optional Padlock


Material Clamp and Squaring Edge



Oil Refil Points


Lifting Lugs

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For S534S

Recommended Accessories

S9981

1320mm Sheet Metal Guillotine
Blade Set - 9CrSi

