Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For S763

Motorised Sheet Metal Curving Rolls - PR-132H

1300 x 1.6mm Mild Steel Capacity
Initial Pinch Design



ORDER CODE:	S763
MODEL:	PR-132H
Curving System Type:	Initial Pinch
Curving Material Length (mm):	1300
Curving Plate Thickness - Mild Steel (mm):	1.6
Minimum Rolling Diameter (mm):	100
Roll Diameter (mm):	75
Motor Power (kW / hp):	0.75 / 1
Voltage / Amperage (V / amp):	415
Dimensions (LxWxH) (mm):	1920 x 610 x 1340
Floor Space (L x W x H) (mm):	~
Nett Weight (kg):	400

Features

- Initial pinch rolls with pre-bending
- Swing out end enables complete cylinder to be removed
- Safety wire interlock system with emergency shut-off
- Two rolls powered by chain & gear drive system
- Precision ground rolls with wiring grooves
- Micro adjustment for material thickness
- Heavy duty steel welded main frames
- Mobile foot pedal control

- Mild steel capacity is rated on hot rolled material with 250MPA

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For S763

Specific Features


Right View



Left View


Rear View


Safety Trip Wire System



Safety Trip Wire Micro Switch


Material Thickness & Curving Roller Adjustment



Wire Groove Rolls


Left View of Rolls


Right View of Rolls


Swing Out Top Roller


Rear View Of Curving Roll Adjustment


Curving Roller Height Adjustment


Curving Roller Height Adjustment Right Side



Control Panel


Main Drive Motor


Foot Control

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For S763



Stop Switch