Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For S797B

# Motorised Plate Curving Rolls - MRM-H 2550x200

2550 x 6mm Mild Steel Capacity
Initial Pinch Design



| | |
|---|---|
| ORDER CODE: | S797B |
| MODEL: | MRM-H 2550x200 |
| Curving System Type: | Initial Pinch |
| Curving Material Length (mm): | 2550 |
| Curving Plate Thickness - Mild Steel (mm): | 6 |
| Minimum Rolling Diameter (mm): | 285 |
| Roll Diameter (mm): | 200 |
| Motor Power (kW / hp): | 4 / 5.3 |
| Voltage / Amperage (V / amp): | 415 |
| Dimensions (LxWxH) (mm): | 4350 x 1100 x 1290 |
| Floor Space (L x W x H) (mm): | ~ |
| Nett Weight (kg): | 3450 |

## Features

- SAE 1050 (CK45) certificated hardened forged steel rolls with high tensile strength
- Precision hardened rolls suitable for stainless steel
- Steel welded main frames
- Hydraulic drop-end support
- Hydraulic movement of back roll and bottom roll
- Mobile control panel with digital readout display
- Motor powered central rolls
- Main motor with brake system
- Conical bending device
- Safety cut out trip wire
- Support system for top roll
- Planetary gearbox two rolls driven
- Back roll with ball bearings for thin sheet metal
- Built according to EC safety directives and has CE

- Mild steel capacity is rated on hot rolled material with 250MPA

## Includes

- Hardened Rollers

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

# Product Brochure For S797B

## Specific Features



Control Panel With Digital Display



Hydraulic Drop End Support



Safety Interlock Emergency Stop




Hydraulic Pressure Plate Clamping Adjustment



Shown with Optional Ball Transfer Tables