

Product Brochure For W1103

# AC/DC Inverter TIG/MMA (ARC) /Pulse Welder - PROTIG 200 ACDC

HF Start TIG Welding with 2T/4T TIG Function  
200 Amps Welding Current



ORDER CODE:	W1103
Type:	INVERTER TIG/ARC AC/DC PULSE
MODEL:	EZI TIG 200 ACDC
Part Number:	BW-TIG200ACDC
Voltage / Amperage (V / amp):	240 / 15
Recommended Plug (amp):	~
Input Frequency (Hz) (Hz):	~
Input Current (amp):	~
Imax (A) (amp):	~
Ieff Current (amp):	~
Power Rating (kVA):	~
Rated Output Current (amp / V):	~
Range of Output Current (amp):	20 ~ 200
Arc Force (amp):	~
No Load Voltage (V):	~
Pre-Flow (S) (sec):	~
Clean Width (%) (%):	~
Slope-Down Time (S) (sec):	~
Post-Flow Time (sec):	~
Base Current (%):	~
Pulse Frequency (Hz):	~
Pulse Duty Cycle (%):	~
TIG Welding Thickness Range (mm):	~
MMA Welding Thickness Range (mm):	~
MMA Electrode Range (mm):	~
Duty Cycle 40 Deg C - TIG (% @ amp):	60 @ 200
Duty Cycle 40 Deg C - MMA (% @ amp):	~
Duty Cycle 40 Deg C - Plasma (% @ amp):	~
Plasma Severance Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Aluminium (mm):	~
Dinse Connector:	~
Protection Class:	~
Insulation Class:	F
Standard:	~
Remote Control (Yes / -):	~
Recommended Generator (kVA):	~
Efficiency (%):	~
Power Factor:	~
Dimensions (mm):	493 x 330 x 320
Nett Weight (kg):	20

## Description

The PROTIG 200 AC/DC offers a solid 200A MMA (ARC welding ability), is designed specifically for industry and incorporates the latest in TIG welding technology. Exclusive HF Inverter technology means you have more advantages, smaller footprint, lighter weight and a much higher power efficiency than other TIG welders available today

Ideal for TIG welding aluminium and all steels from 0.3 - 10mm. With all the controls plus a digital read-out, this inverter is exceptionally smooth and easy to operate. It has all the features of a professional machine housed in a compact case.

## Features

## Product Brochure For W1103

- PROTIG 200 AMP INVERTER ARC + TIG AC/DC PULSE WELDER - Single phase 200A ACDC Tig welder with pulse feature.
- Tackle almost any workshop job with AC/DC TIG and ARC welding function, welds alloy, Mild Steel, Stainless Steel, High Carbon Steel. High 60% Duty Cycle and IGBT Technology keeps you welding reliably all day.
- HF start TIG welding with 2T/4T TIG function
- Adjustable pulse frequency and pulse current
- ARC force adjustment
- AC + DC TIG function
- Post and pre-flow gas adjustment
- Down slope control
- 4 metre torch and argon regulator included
- 1.5 year warranty.

### Optional Accessories

- Optional foot controller available

### Recommended Accessories

W10361

Magnetic TIG Torch Rest



O352

Gas Refillable Cylinder



O354

Gas Refillable Cylinder



O360

Gas Refillable Cylinder



O362

Gas Refillable Cylinder



O366

Gas Refillable Cylinder



O368

Gas Refillable Cylinder



W1140D

Argon Gas Regulator-Twin Gauge



Product Brochure For W1103

W1142U

1.6mm Tig Tungsten Electrode - Thoriated Red



W1142X

1.6mm Tig Tungsten Electrode - Zirconiated White



W1142V

2.4m Tig Tungsten Electrode - Thoriated Red



W1142Y

2.4mm Tig Tungsten Electrode - Zirconiated White



W1142W

3.2mm Tig Tungsten Electrode - Thoriated Red



W1142Z

3.2mm Tig Tungsten Electrode - Zirconiated White



W001

Auto Darken Welding Helmet - 9-13 Shade



W002

Auto Darken Welding Helmet - 9-13 Shade



W1090

Auto Darken Welding Helmet - 9 ~ 13 Shade



W1091

Magnetic Swivel V-Pad Clamps




W1092

Auto Darken Welding Helmet with PAPR Respiratory System - (2.5) 8 ~ 12 Shade



L3456

How to Weld Book



Product Brochure For W1103

---

W1142

Ø1.6mm TIG Filler Rod - Mild Steel



W1142A

Ø2.4mm TIG Filler Rod - Mild Steel



W1142B

Ø3.2mm TIG Filler Rod - Mild Steel



W1142C

Ø1.6mm TIG Filler Rod - Aluminium



W1142D

Ø2.4mm TIG Filler Rod - Aluminium



W1142E

Ø3.2mm TIG Filler Rod - Aluminium



W1142F

Ø1.6mm TIG Filler Rod - Stainless Steel



W1142G

Ø2.4mm TIG Filler Rod - Stainless Steel



W1142H

Ø3.2mm TIG Filler Rod - Stainless Steel

