Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W1103

AC/DC Inverter TIG/MMA (ARC) /Pulse Welder - PROTIG 200 ACDC

HF Start TIG Welding with 2T/4T TIG Function
200 Amps Welding Current



ORDER CODE:	W1103
Type:	INVERTER TIG/ARC AC/DC PULSE
MODEL:	EZI TIG 200 ACDC
Part Number:	BW-TIG200ACDC
Voltage / Amperage (V / amp):	240 / 15
Recommended Plug (amp):	~
Input Frequency (Hz) (Hz):	~
Input Current (amp):	~
Imax (A) (amp):	~
Ieff Current (amp):	~
Power Rating (kVA):	~
Rated Output Current (amp / V):	~
Range of Output Current (amp):	20 ~ 200
Arc Force (amp):	~
No Load Voltage (V):	~
Pre-Flow (S) (sec):	~
Clean Width (%) (%):	~
Slope-Down Time (S) (sec):	~
Post-Flow Time (sec):	~
Base Current (%):	~
Pulse Frequency (Hz):	~
Pulse Duty Cycle (%):	~
TIG Welding Thickness Range (mm):	~
MMA Welding Thickness Range (mm):	~
MMA Electrode Range (mm):	~
Duty Cycle 40 Deg C - TIG (% @ amp):	60 @ 200
Duty Cycle 40 Deg C - MMA (% @ amp):	~
Duty Cycle 40 Deg C - Plasma (% @ amp):	~
Plasma Severance Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Carbon Steel (mm):	~
Plasma Production Cut Capacity Aluminium (mm):	~
Dinse Connector:	~
Protection Class:	~
Insulation Class:	F
Standard:	~
Remote Control (Yes / ~):	~
Recommended Generator (kVA):	~
Efficency (%):	~
Power Factor:	~
Dimensions (mm):	493 x 330 x 320
Nett Weight (kg):	20

Description

The PROTIG 200 AC/DC offers a solid 200A MMA (ARC welding ability), is designed specifically for industry and incorporates the latest in TIG welding technology.
Exclusive HF Inverter technology means you have more advantages, smaller footprint, lighter weight and a much higher power efficiency than other TIG welders available today

Ideal for TIG welding aluminium and all steels from 0.3 - 10mm. With all the controls plus a digital read-out, this inverter is exceptionally smooth and easy to operate. It has all the features of a professional machine housed in a compact case.

Features

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W1103

- PROTIG 200 AMP INVERTER ARC + TIG AC/DC PULSE WELDER - Single phase 200A ACDC Tig welder with pulse feature.
- Tackle almost any workshop job with AC/DC TIG and ARC welding function, welds alloy, Mild Steel, Stainless Steel, High Carbon Steel. High 60% Duty Cycle and IGBT Technology keeps you welding reliably all day.
- HF start TIG welding with 2T/4T TIG function
- Adjustable pulse frequency and pulse current
- ARC force adjustment
- AC + DC TIG function
- Post and pre-flow gas adjustment
- Down slope control
- 4 metre torch and argon regulator included
- 1.5 year warranty.

Optional Accessories

- Optional foot controller available

Recommended Accessories

W10361
Magnetic TIG Torch Rest



O352
Gas Refillable Cylinder



O354
Gas Refillable Cylinder



O360
Gas Refillable Cylinder



O362
Gas Refillable Cylinder



O366
Gas Refillable Cylinder



O368
Gas Refillable Cylinder



W1140D
Argon Gas Regulator-Twin Gauge



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W1103

W1142U
1.6mm Tig Tungsten Electrode - Thoriated Red



W1142X
1.6mm Tig Tungsten Electrode - Zirconiated White



W1142V
2.4m Tig Tungsten Electrode - Thoriated Red



W1142Y
2.4mm Tig Tungsten Electrode - Zirconiated White



W1142W
3.2mm Tig Tungsten Electrode - Thoriated Red



W1142Z
3.2mm Tig Tungsten Electrode - Zirconiated White




W001
Auto Darken Welding Helmet - 9~13 Shade



W1091
Magnetic Swivel V-Pad Clamps



L3456
How to Weld Book



W1142
Ø1.6mm TIG Filler Rod - Mild Steel



W1142A
Ø2.4mm TIG Filler Rod - Mild Steel



W1142B
Ø3.2mm TIG Filler Rod - Mild Steel



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W1103

W1142C
Ø1.6mm TIG Filler Rod - Aluminium



W1142D
Ø2.4mm TIG Filler Rod - Aluminium



W1142E
Ø3.2mm TIG Filler Rod - Aluminium



W1142F
Ø1.6mm TIG Filler Rod - Stainless Steel



W1142G
Ø2.4mm TIG Filler Rod - Stainless Steel



W1142H
Ø3.2mm TIG Filler Rod - Stainless Steel

