

## Product Brochure For W326

### Two Stage Air Filtration Unit - AP-12

1044cfm Air Flow Capacity  
1 Micron Filtration System



**On Sale**

| Ex GST              | Inc GST             |
|---------------------|---------------------|
| <del>\$660.00</del> | <del>\$759.00</del> |
| <b>\$520.87</b>     | <b>\$599.00</b>     |

|   |                 |
|---|-----------------|
| ORDER CODE:                               | W326            |
| MODEL:                                    | AP-12           |
| Filtration Type:                          | 2 Stage         |
| Filtration Particle (Micron):             | 1               |
| Air Flow Capacity (CFM):                  | 1044            |
| Noise Level (dB):                         | 62 ~ 69         |
| Room Volume Efficiency (m <sup>3</sup> ): | 300             |
| Motor Power (W / hp):                     | 150 / 0.2       |
| Voltage / Amperage (V / amp):             | 240 / 10        |
| Floor Space (W x D x H) (mm):             | 610 x 770 x 350 |
| Nett Weight (kg):                         | 27              |



#### Description

With a 150W motor the AP-12 is great for home or lite industrial workshops. The air passes through a 2 stage filter system, with the pleated pre-filter firstly captures 98% of all particles at 5 microns in size and 85% of all particles 1 micron in size when it passes through the second stage filter.

The remote control unit has three settings for the motor speed (High-1044CFM @ 69dB, Medium-702CFM @ 67dB, Low-556CFM @ 62dB) and three different time settings of 1 hour, 2 hours and 4 hours, which can be used to clear the workshop after work has finished for the day.

#### Features

- 1044cfm air flow capacity
- Remote control ON/OFF
- Two stage air filter
- Filtering 98% of all particles 5 microns in size and 85% of all particles 1 micron in size
- Quiet running with 3 x motor speeds (High-1044CFM @ 69dB, Medium-702CFM @ 67dB, Low-556CFM @ 62dB)
- 3 x timer settings (1Hr, 2Hr, 4Hr)
- Easy removal to clean filter element
- Designed for ceiling mount

#### Includes

- Flange brackets for wall or ceiling mounting
- Eye bolts for mounting to ceiling rafters
- Rubber feet for placing unit on workbench

Product Brochure For W326

**Specific Features**



Control Panel



Rear View



5 Micron Outer Paper Filter



1 Micron Inner Fabric Bag Filter



Air Outlet



Shown with Filters Removed



Shown with Filter Out



Remote Control



Parts Included

## Product Brochure For W326

---

### Recommended Accessories

CP030  
PRIMARY FILTER 5 MICRON

CP032  
FILTER SECONDARY 1  
MICRON

