

Product Brochure For W4330

Wood Band Saw - BP-430A

2 Blade Speeds - 488 & 1010m/min & Includes Automatic Electronic Motor Braking System
Motor Braking System x 310mm Height Capacity



Ex GST
\$3,038.00

Inc GST
\$3,493.70

ORDER CODE:	W4330
MODEL:	BP-430A
Wheel Diameter (Ø) (mm):	430
Throat Capacity (mm):	415
Height Capacity (mm):	310
Table Size (mm):	585 x 435 with Extension
Frame Type:	Steel
Motor Power (kW / hp):	1.5 / 2 (Electronic Brake System)
Voltage / Amperage (V / amp):	240 / 10
Blade Code (Suits):	W433A, W433B, W433C
Blade Size (L x W x T) (mm):	3345 x 16 x 0.80
Floor Space (W x D x H) (mm):	850 x 830 x 1860
Nett Weight (kg):	181



Description

A wood bandsaw is probably the most versatile machine in any workshop and often the first machine used when preparing timber. This BP-430A bandsaw now includes a electronic safety motor brake system to quickly stop the blade, and a powerful 1500W - 2hp 240V motor, large cutting capacities and all manufactured to quality standards we expect of our range of machines.

The BP-430A manufactured in Taiwan offers excellent safety features including interlocked blade guard doors, safety magnetic nvr power switch, 2 x height option fence, twin extraction ports and is all compliant to CE standard. A rigid welded steel chassis cast iron table and heavy-duty ball bearing blade guides are included, along with a rigid rip fence and precision mitre fence.

An often overlooked feature is the ease of changing the blade; The BP-430A has a quick release blade tensioning lever which substantially speeds up the process of blade changing. Two belt speeds offer the right speed of 488 & 1010m/min. for cutting either a large or small job.

Features

- Quality Taiwanese manufacture
- 415mm throat capacity
- Extra high cutting capacity - 310mm
- Powerful 2hp - 240V motor
- Automatic electronic motor braking system to quickly stop blade
- Ø430mm (17") heavy duty cast iron wheels, balanced for performance
- Two blade speeds 488/1010m/min
- Magnetic NVR on/off switch
- Micro-switch protection on hinged blade guard doors
- Large cast iron table tilts to -10° to +45°
- Aluminium extruded High / Low ripping fence - 150mm & 12mm
- Double ball bearing guides with grooved rear thrust bearing for maximum blade support
- Quick-action blade tension
- Rack & pinion adjustment on top blade guide
- Two viewing windows make blade tracking and tensioning possible while the machine is running
- Twin Ø100mm (4") dust ports for efficient dust extraction
- CE safety standard compliant

Includes

- Aluminium extruded High / Low ripping fence

Product Brochure For W4330

- Mitre gauge
- 6TPI, Blade - 3345 x 16 x 0.65mm

Specific Features



Side View



Rear View



Large Cast Iron Table



Table Angle Adjustment



Rip Fence Shown In High Position



Rip Fence Shown In Low Position



Rip Fence With Magnification Scale View



Mitre Guide



Blade Height Scale



Blade Guide



Ball Bearing Blade Guide



Lower Ball Bearing Blade Guide



Adjustment Rack Pinion Cut Height



Quick Action Blade Tension Lever



Blade Tension Window



ON OFF Switch

Product Brochure For W4330



Door Open



Heavy Duty Cast Iron Wheels



Safety Micro Switch On Door



Blade Cleaning Brush



Wheel Cleaning Brush



Blade View Window



100mm Bottom Rear Dust Chute



100mm Side Dust Chute

Recommended Accessories

W433A

Wood Band Saw Blade - 6TPI,
Blade - 3345 x 16 x 0.65mm

W433B

Wood Band Saw Blade - 3TPI,
Blade - 3345 x 16 x 0.65mm

W433C

Wood Band Saw Blade - 6TPI
Narrow, Blade - 3345 x 6.25 x
0.65mm

W311

Ripping Gauge



Product Brochure For W4330

W309
Safety Push Blocks & Stick Set



W308
Mitre Gauge & Fence



W394
Dust Collector



W930
Mobile Base



W931
Mobile Base - Heavy Duty



W344
Wood Dust Accessory Kit



W334
Dust Hose Reducer



W333
Dust Hose Reducer



W335
Blast Gate



W336
Dust Hose Elbow - 90 Degree



W337
Dust Hose Y Adaptor



W338
Dust Hose Universal Dust Hood



Product Brochure For W4330

W339
Dust Hose Floor Sweeper
Attachment



W340
Dust Hose Clamp



W343
Roller Stand



W343A
Roller Stand



W3434
Roller Stand

