Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W612

Planer & Thicknesser Combination - Spiral Cutter Head - PT-305S

305mm Wide Planer Capacity
305 x 225mm (W x H) Thicknesser Capacity

Ex GST	Inc GST
$4,000.00	$4,600.00



ORDER CODE:	W612
MODEL:	PT-305S
Planer Capacity (mm):	305
Cutter Head Type (HSS / Carb):	Carbide Inserts
Table Length - Planer (mm):	1380
Table Height - Planer (mm):	850
Length of Infeed Planer Table (mm):	715
Length of Outfeed Planer Table (mm):	635
Fence Length x Height (mm):	1200 x 150
Thicknesser Capacity (mm):	310 x 225
Table Length - Thicknesser (mm):	740 (with roller extension support)
Feed Speed (m/min):	5
Cutter Block Diameter (mm):	70
Cutter Block Speed (rpm):	4800
Motor Power (kW / hp):	3 / 4
Voltage / Amperage (V / amp):	240 / 15A
Floor Space (W x D x H) (mm):	1385 x 705 x 1000
Nett Weight (kg):	303

Description

You now don't have to choose between buying a seperate planer or a thicknesser – with the PT-305S you can have the best of both worlds in one machine. Hafco Woodmaster has designed a machine now that includes a "Spiral Cutter Head" that cuts your timber effortlessly smoother and quieter than the conventional HSS blades.

The surfacing tables are 1380mm long, made from cast iron and precision ground finish to ensure material to slide smoothly to produce accurate results. The spiral cutter head is fitted with German quality carbide inserts and powered by a powerful 3kW / 4hp, 240V motor that can handle the toughest timbers to achieve superior finish every time.

This versatile machine features an extra heavy duty cast aluminium extruded fence with centered controls for quick adjustments, and a built-in dust chute capable of handling both operations.

Features

- Spiral cutter head with 56 carbide inserts
- Heavy-duty 3kW / 4hp 240V motor
- 305mm wide x 225mm high thicknesser capacity
- Auto-feed thicknesser rollers 5m/min
- 4800rpm cutter head speed
- 1380 x 310mm jointer table size
- Large aluminium fence tilts 45-90º with lever locking system and unique sliding design
- Heavy duty cast iron tables with ground finish to ensure accuracy and flatness
- Large hand-wheel for quick and precise adjustments of thickness height
- 100mm dust chute

Includes

- 5 x spare carbide inserts
- 10 x spare insert screws

Optional Accessories

- 4 x Machine Mounts - (M001)

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W612

Specific Features


Spiral Cutter Head


Front View


Left Side View


Right Side View


Set Up as a Thicknesser


Thicknesser Setup - Rear View


Front Top View


Rear View


Rear Right View


Rear Top View


Dust Chute Set Up For Planer


Included Parts

Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W612

Recommended Accessories

W309
Safety Push Blocks & Stick Set



W616
Carbide Inserts for Spiral Cutter Heads on Planer & Thicknesser Combo's



W616S
Torx Screw



W332
Dust Collector



W394
Dust Collector



W344
Wood Dust Accessory Kit



M001
Steel Machine Mount & Rubber Insert



W334
Dust Hose Reducer



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W612

W333
Dust Hose Reducer



W335
Blast Gate



W336
Dust Hose Elbow - 90 Degree



W337
Dust Hose Y Adaptor



W338
Dust Hose Universal Dust Hood



W339
Dust Hose Floor Sweeper Attachment



W340
Dust Hose Clamp



W343
Roller Stand



W343A
Roller Stand



W3434
Roller Stand

