

## Product Brochure For W629NZ

### Planer Jointer - P-200H

200mm Width Capacity  
13mm Rebate Capacity



**Ex GST**  
**\$1,650.00**

**Inc GST**  
**\$1,897.50**

ORDER CODE:	W629NZ
MODEL:	P-200H
Width Capacity (mm / inch):	200 / 8
Maximum Depth of Cut (mm):	3
Table Length (mm):	1785
Length of Infeed Table (mm):	870
Length of Outfeed Table (mm):	875
Rebate (mm):	13
Fence Length x Height (mm):	885 x 125
Blade Cutter (Type):	HSS
Blade Quantity (No.):	4
Cutter Block Diameter (mm):	~
Cutter Block Speed (rpm):	5500
Dust Port Diameter (mm):	100
Motor Power (kW / hp):	1.5 / 2
Voltage / Amperage (V / amp):	240 / 15
Floor Space (W x D x H) (mm):	1800 x 700 x 1120
Nett Weight (kg):	208



#### Description

The P-200H Industrial Planer Jointer is extremely rugged in construction & weighing in at 208kg it will not move when planing heavy timber. With 2 x independently adjustable cast iron tables, 4 x HSS cutter blades rotating at 5500rpm and a powerful 2hp 240V motor driving the 200mm wide cutter head making it a very popular choice for trade professional joinery workshops.

This cast iron infeed and outfeed tables are a long 1800mm in total length, and ground exceptionally flat and mounted on a substantial steel stand. The power switch is conveniently mounted up high to the side of the table for quick & easy access. For safety, the cutter blades are fully protected across its whole width by an adjustable guard that you set manually to suit your timber size. The infeed and outfeed tables can also be adjusted for a quick set up to produce rebates up to 13mm deep. There also is an adjustable quick stop system on the infeed table to allow repeat accurate depth settings to be made quickly.

The heavy duty cast iron adjustable fence with a flat ground surface, is held by a robust cast iron bracket & slide system. The fence is fully adjustable for angles between 45°, 90° & 135°. Waste extraction is removed from the left side of the machine via a 100mm outlet port and should be connected to a suitable dust extractor.

Setting the four HSS blades into the cutting block is easy & accurate with the included blade setting gauge device, ensuring that all blades are accurately set in identical position for a smooth cut finish.

#### Features

- Heavy duty machine
- 200mm width capacity
- 4 x HSS blade cutter head
- Extra longer 1800mm cast iron table
- 13mm rebating capacity
- Adjustable in & out feed tables
- Rigid quick action tilting fence to 45° L & R with adjustable stops
- Magnetic safety switch with paddle emergency stop
- Enclosed stand with 100mm dust chute
- Adjustable cutter guard
- Feed handle with locking bar
- 1.5kW / 2hp 240V motor

Product Brochure For W629NZ

**Specific Features**



Left View



Rear Right View



Rear Left View



Rear Top View



Rear Low View




Side View



Side View with Fence at 45 Degrees



Side View with Fence out



Adjustable Quick Action Tilt Fence Assembly



On Off Switch



Emergency Stop



In Feed Table Height Adjustment Scale



In Feed Table Height Adjustment Handle



In Feed Table Height Stop Setting



Out Feed Table Height Adjustment



Dust Chute

Product Brochure For W629NZ



4 Blade Cutter Head



Cutter Guard Adjustment



Cutter Guard



Adjustable Slide Out Cutter Guard



Included Accessories

**Recommended Accessories**

2TC0202  
BLADES 4PC

W309  
Safety Push Blocks & Stick Set

W763  
Spiral Cutter Head with Carbide Inserts

W332  
Dust Collector



Product Brochure For W629NZ

**W394**  
Dust Collector



**W344**  
Wood Dust Accessory Kit



**W334**  
Dust Hose Reducer



**W333**  
Dust Hose Reducer



**W335**  
Blast Gate



**W336**  
Dust Hose Elbow - 90 Degree



**W337**  
Dust Hose Y Adaptor



**W338**  
Dust Hose Universal Dust Hood



**W339**  
Dust Hose Floor Sweeper Attachment



**W340**  
Dust Hose Clamp



**W930**  
Mobile Base



**W343**  
Roller Stand



Product Brochure For W629NZ

---

W343A  
Roller Stand



W3434  
Roller Stand



W952  
Wood Band Saw

