Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W855

Wood Band Saw - Basato 3h Vario

305mm Throat Depth x 205mm Height Capacity



ORDER CODE:	W855
MODEL:	Basato 3h Vario
Wheel Diameter (Ø) (mm):	315
Throat Capacity (mm):	305
Height Capacity (mm):	205
Table Size (mm):	548 x 400
Frame Type:	Steel
Motor Power (kW / hp):	0.8 / 1.06
Voltage / Amperage (V / amp):	240 / 10
Blade Code (Suits):	W854A, W854AB
Blade Size (L x W x T) (mm):	2360 x 13 x 0.65
Floor Space (W x D x H) (mm):	1100 x 650 x 1680
Nett Weight (kg):	72

Description

Continuous speed control

The Basato 3h offers you special features like continuous speed control within a range from 370 to 750 m/min ensuring, at the same time, utmost accuracy by means of top and bottom 3-roller precision guides. For smooth running, the balanced and polished band wheels are fitted with a rubber facing.

The tilting table copes with every task. The large cast iron table offers a safe work-piece support. The tilting table has a precise one hand setting control ranging from -17º to +45º , while the throat width is 305mm. The precision fence system is equipped with a magnifying glass and a safety cut out switch is fitted to the blade door.

TABLE ADJUSTMENT= -17 to +45º
TABLE HEIGHT= 1020mm
TABLE SIZE= 548 x 400mm
SUCTION CONNECTOR= 100mm
BLADE SPEED= 370-750m/min
DIMENSIONS (LxWxH)= 1000 x 600 x 1680mm

Features


- German design & technology
- Unique variable speed drive system 370 to 750m/min
- Large 548 x 400mm cast iron table
- Twin 3-roller precision blade guides ensure precise cuts
- 305 x 205mm cutting capacity
- Solid rip fence with eye-glass for precise settings
- Precision rip fence with magnifier. Conveniently inserted from above for right and left hand use
- Patented table tilting from -17º to +45°
- 800W 240V motor
- Standard base unit with wheel kit
- For smooth running, the balanced and polished band wheels are fitted with a rubber facing
- Includes heavy duty mitre gauge & 95mm dust chute


Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W855

Specific Features


Precision rip fence with magnifier Conveniently inserted from above for right and left hand use


Variable speed control by conveniently placed hand wheel


Large cast iron table with swivel capacity of -17deg to +45deg enhances versatility


Twin 3 roller precision blade guides ensure precise cuts



Unique variable speed drive system 370 750mmin


The new base unit with standard wheel base

Recommended Accessories

W854A
Wood Band Saw Blade - 6TPI, Blade - 2360 x 12 x 0.65mm



W930
Mobile Base



W931
Mobile Base - Heavy Duty



W332
Dust Collector



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W855

W886
Dust Collector



W344
Wood Dust Accessory Kit



W334
Dust Hose Reducer



W333
Dust Hose Reducer



W335
Blast Gate



W336
Dust Hose Elbow - 90 Degree



W337
Dust Hose Y Adaptor



W338
Dust Hose Universal Dust Hood



W339
Dust Hose Floor Sweeper Attachment



W340
Dust Hose Clamp



W343
Roller Stand



W343A
Roller Stand



Auckland: (09) 2717 234
Christchurch: (03) 741 6241

sales@machineryhouse.co.nz
www.machineryhouse.co.nz

Product Brochure For W855

W3434
Roller Stand

